GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PS - PR&RD Department - Vigilance Report -Allegations of poor quality in community works executed by the Zilla Praja Parishad, Chittoor - Disciplinary proceedings initiated against Sri K.Dinakara Murthy, the then Assistant Engineer, V&QC (PR) SD, Chittoor - Charge framed – Written Statement of Defense - Inquiry conducted – Charge Not Proved - Further action dropped - Orders - Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.II) DEPARTMENT

G.O.RT.No. 696 Dated: 26-08-2025

Read the following:-

1. Vigilance Report No.20 (C.No.6243/V&E/ENGG/2021), dt.01.05.2023 of D.G., V&E.
2. G.O.Rt.No.32, PR&RD (Vig.II) Dept., dated 10.01.2024.
3. G.O.Rt.No.40, PR&RD (Vig.II) Dept., dated 10.01.2024.
4. WSD, dated 28.06.2024 of Sri K.Dinakara Murthy, AE, V&QC (PR) SD, Chittoor.
5. G.O.Rt.No.418, PR&RD (Vig.II) Dept., dated 20.07.2024.
6. Letter No.CEVQC/V&E/Allegation/Community works/ZPPGF/ Chittoor Dist/2024, dated 06.01.2025 of ENC, PR.
7. Govt. Memo No.167817/Vig.II/2021-8, PR&RD (Vig.II) Dept., dated 19.06.2025.
8. Lr.No.Vig.(4)/17201923/2023, dated 09.07.2025 of ENC, PR along with representation, dated 02.07.2025 of Sri K.Dinakara Murthy, AE, V&QC (PR) SD, Chittoor.

.o0o.

ORDER:

Based on the recommendations of the Director General, General Administration (Vigilance & Enforcement) Department made in the reference 1st read above, relating to allegations of poor quality in community works executed by the Zilla Praja Parishad, Chittoor, Government in the reference 2nd read above, have initiated common disciplinary proceedings under Rule 24 of APCS (CC&A) Rules, 1991 against Sri K.Dinakara Murthy, the then Assistant Engineer, Vigilance & Quality Control (PR) Sub-Division, Chittoor and (9) others.

2. In the reference 3rd read above, Government have framed the following articles of charge under Rule 20 of APCS (CC&A) Rules, 1991 against Sri K.Dinakara Murthy, the then Assistant Engineer, Vigilance & Quality Control (PR) Sub-Division, Chittoor, with a direction to submit his written statement of defense:-

> Charge: That said Sri K.Dinakara Murthy, the then Assistant Engineer, Vigilance & Quality Control (PR) Sub-Division, Chittoor and presently continuing in the same post and place, has committed certain irregularities in execution of the work "improvements to the road from Balakrishnapuram road to Kannikapuram via Papaiah Indlu in Vedurukuppam Mandal" and he recommended for issuance of QC certificate without proposing any recovery despite inferior quality of CC work and responsible for the lapse.

By his above mentioned acts, Sri K.Dinakara Murthy, the then Assistant Engineer, Vigilance & Quality Control (PR) Sub-Division, Chittoor and presently continuing in the same post and place, failed to discharge his duties, exhibited lack of devotion to duty and lack of integrity and behaved in a manner unbecoming of a Government servant and thereby contravened the Rules 3(1) and 3(2) of APCS (Conduct) Rules, 1964.

3. In the reference 4th read above, the charged officer, Sri K.Dinakara Murthy, the then Assistant Engineer, Vigilance & Quality Control (PR) Sub-Division, Chittoor has submitted his written statement of defense and denied the charge framed against him. After examining and having not satisfied with the Written Statement of Defense, Government appointed the Chief Engineer, Panchayat Raj, Vigilance & Quality Control, O/o.Engineer-in-Chief, Panchayat Raj, Vijayawada as Inquiring Authority to conduct regular inquiry into the charge framed against Sri K.Dinakara Murthy, the then Assistant Engineer, Vigilance & Quality Control (PR) Sub-Division, Chittoor and (9) others and also appointed the Superintending Engineer, Panchayat Raj, SPSR Nellore District as Presenting Officer, under Rule 20(2)(5)(c) of A.P.C.S.(CC&A) Rules, 1991, vide reference 5th read above.

4. In the reference 6th read above, the Engineer-in-Chief, Panchayat Raj, Vijayawada has submitted the inquiry report of Inquiring Authority, wherein, the Inquiring Authority has held the charge framed against the charged officer, Sri K.Dinakara Murthy, the then Assistant Engineer, Vigilance & Quality Control (PR) Sub-Division, Chittoor, as not proved, among others.

5. In the reference 7th read above, Government have communicated a copy of inquiry report to the charged officer, Sri K.Dinakara Murthy, the then Assistant Engineer, Vigilance & Quality Control (PR) Sub-Division, Chittoor, under Rule 21(2) of A.P.C.S.(CC&A) Rules, 1991, for his representation, if any, on the findings of the inquiry report. Accordingly, in the reference 8th read above, the charged officer, Sri K.Dinakara Murthy, Assistant Engineer, Vigilance & Quality Control (PR) Sub-Division, Chittoor, has submitted his representation and accepted the findings of the Inquiring Authority.

6. After careful examination of the entire matter, Government hereby drop the further action against Sri K.Dinakara Murthy, Assistant Engineer, Vigilance & Quality Control (PR) Sub-Division, Chittoor in the subject matter, as the charge framed against him, is held as not proved in the inquiry.

7. The Engineer-in-Chief, Panchayat Raj, A.P., Vijayawada shall take further necessary action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR,
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief, Panchayat Raj, A.P., Vijayawada.
Sri K.Dinakara Murthy, AE, V&QC (PR) SD, Chittoor through the Engineer-in-Chief, Panchayat Raj, A.P., Vijayawada with a request to serve the order on the charged officer and furnish the acknowledgment copy to the Government.

Copy to:

The Secretary to VC, A.P.Vigilance Commission, Velagapudi.
The General Administration (V&E) Department, Vijayawada.
The Pay and Accounts Officer, A.P., Mangalagiri.
The Principal Accountant General (A&E), A.P., Vijayawada.
The PR&RD (Estt.I) Department.
The OSD to the Hon'ble Dy.CM for PR&RD, RWS&S and EFS&T.
The PS to Principal Secretary to Govt., PR&RD Department.
SF/SC (1678817).

// FORWARDED::BY ORDER//

SECTION OFFICER